

# JUSTRON®

JIASIDUN FISHING TACKLE CO.,LTD.

# JUSTRON®

JIASIDUN FISHING TACKLE CO.,LTD.



佳丝顿钓具有限公司

JIASIDUN FISHING TACKLE CO.,LTD.

Factory Add: Industrial area, Hulu town

Mobile: 13957901497 QQ: 297382414

Tel: 0579-86160340 Fax: 0579-86160240

Email: justronfishingtackle@hotmail.com

Web: //www.justronfishingtackle.com



[www.justronfishingtackle.com](http://www.justronfishingtackle.com)

## 公司简介 ABOUT US

佳丝顿钓具有限公司位于浙江省，本厂专业生产大力马PE编织线，尼龙线，碳素线，强力绑勾子线，台湾碳氟披覆线，超强力主线，界面活性线以及超柔软线等等。我厂集OEM客户定制加工，ODM代理客户开发设计加工，自由直营品牌JUSTRON等，进出口商贸，商品设计，开发为一体。我们始终坚持把质量和客户的需要放在公司发展的首要位置，不断完善产品的售后服务工作，强调产品质量，新品开发，欢迎各地经营商，代理商鼎力加盟，我们期待与你携手共进，共创辉煌。

创新是品牌飞跃的源动力，成立以来，佳丝顿鱼线始终坚持“品质为本，技术为先，永续创新”的经营理念，持续新品研发和技术革新。同时佳丝顿注重人才的培养与管理的优化提升，无论市场的变迁与竞争，佳丝顿始终站在行业前沿，形成了佳丝顿品牌为先，品质为鼎的坚实发展格局。凝眸历史，无上荣光；展望未来，任重道远。佳丝顿愿与您携手，踏征程，创宏业，永远傲立钓具产业潮头。

Jiasidun Fishing tackle company, located in Zhejiang Province, working on qualified PE, Nylon, Fluorocarbon fishing line and all types lines, with all sizes and customized colors.

Justron fishing line continued to meet customer satisfaction; meeting our customers' requirements and needs, and the continued product development of new, innovative lines designed for the ever changing market and fishing styles. Justron fishing lines have in the past, and will continue to inspire complete confidence for all anglers.



## 我们的优势 OUR ADVANTAGE



专业生产路亚线  
微飞线 渔网编织线


Your great choice for OEM & ODM Factory  
For all types of braided lines and lure fishing line




# INSIGHT LOOK INTO JUSTRON PE LINES

- All PE lines 100%PE
- German Weaving Technology, slow speed with modern weaving technology for great performance, tight weave and excellent ratio between diameters and strength.

- 真材实料100%PE编织
- 德国穿插无缝编织技术



PE  
编织线



# 01



JUSTRON PE编织线  
FISHING TACKLE  
BRAIDED LINE

钓鱼是给每天的生活注入活力的朋友。如果有使用方便能够更好的钓具那么钓鱼的生活就会变得更加充实。我们佳丝顿将继续生产高品质的钓具我们相信会为大家的幸福做出哪怕一点点的贡献。为了让钓鱼人把握和未谋面的鱼儿相遇的幸福。

German Braiding Technique  
JUSTRON®



Rounded body structure with new coating line

**X4**



Rounded body structure with new coating line

**X8**

TARGET SERIES PEX4 braided line, a high performance braided fishing line that offers a tremendous balance of value and performance. High performance and a smooth casting line aim for multi purpose, fishing net weaving, saltwater and freshwater tournament competition.

TARGET系列PEX4, 采用4股编织, 性价比之最, 是渔网编织, 淡水海水竞技钓鱼的极好选择。

Specifications/规格 PEX4

Size	#0.2	#0.4	#0.6	#0.8	#1.0	#1.2	#1.5	#2.0	#2.5	#3.0	#3.5	#4.0	#4.5	#5.0	#6.0	#7.0	#8.0	#9.0	#10.0
Dia/mm	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.23	0.26	0.28	0.30	0.32	0.35	0.37	0.40	0.43	0.47	0.50	0.52
KG	3	4	5	6.1	7.2	9.0	10.7	12.3	15.4	17.2	18.2	18.6	20.5	21.8	25.0	27.3	29.5	36	38
LB	6.6	8.8	11.0	13.4	15.8	19.8	23.5	27.1	33.9	37.8	40.0	40.9	45.1	48.0	55.0	60.1	64.9	80	85

Color options 颜色选项



Smooth surface and low water absorption. Low stretch, easy to control, efficiently prevent UV and longer service. Suitable for lure fishing, sea fishing and a full range of different fishing way.

超高的耐磨性, 外表光滑, 极低的吸水性、耐光性, 适用于: 路亚, 远钓, 海钓等多种钓法。

Specifications/规格 PEX8

Size	#0.2	#0.4	#0.6	#0.8	#1.0	#1.2	#1.5	#2.0	#2.5	#3.0	#3.5	#4.0	#4.5	#5.0	#6.0	#7.0	#8.0	#9.0	#10.0
Dia/mm	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.23	0.26	0.28	0.30	0.32	0.35	0.37	0.40	0.43	0.47	0.50	0.52
KG			5.2	6.3	7.7	9.5	11	12.8	16.5	18.6	21.3	22.7	24	25.4	28.2	33.4	36.3	38	40
LB			11.4	13.9	16.9	20.9	24.2	28.2	36.3	40.9	46.9	49.9	52.8	55.9	62.0	73.5	79.9	83.6	88.0

Color options 颜色选项





Rounded body structure with new coating line

# X9



Rounded body structure with new coating line

# X12

The special braided process makes the water casting 50% more than 8 strands line. and greatly enhances its tensile strength and abrasion resistance.  
特殊的编织工艺使它的切水性高于8编大力马鱼线的50%，并大大提高了拉力和耐磨性。

### Specifications/规格 PEX9

Size	#0.2	#0.4	#0.6	#0.8	#1.0	#1.2	#1.5	#2.0	#2.5	#3.0	#3.5	#4.0	#4.5	#5.0	#6.0	#7.0	#8.0	#9.0	#10.0
Dia/mm	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.23	0.26	0.28	0.30	0.32	0.35	0.37	0.40	0.43	0.47	0.50	0.52
KG			6.2	7	8.8	11	12.7	14	18.1	20.0	21.8	23.0	25.7	28.5	33.2	35.8	39.4	41.5	43.0
LB			13.64	15.4	19.36	24.2	27.94	30.8	39.82	44	47.96	50.6	56.54	62.7	73.04	78.76	86.68	91.3	94.6

### Color options 颜色选项



GUANFU series 12 strands of tightly woven fibers makes for a perfectly round profile. The result is a much stronger, softer and smoother line that is more sensitive and farther casting.

管付系列X12，采用全新的编织方式，使得更加紧密，更加顺滑，且不容易吸水，线体紧密编织和独特的防水层极大程度上解决了编织线的吸水问题。

### Specifications/规格 PEX12

Size	#0.2	#0.4	#0.6	#0.8	#1.0	#1.2	#1.5	#2.0	#2.5	#3.0	#3.5	#4.0	#4.5	#5.0	#6.0	#7.0	#8.0	#9.0	#10.0
Dia/mm	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.23	0.26	0.28	0.30	0.32	0.35	0.37	0.40	0.43	0.47	0.50	0.52
KG				8.2	10.0	12.5	14.5	16.6	20.0	23.2	24.0	26.8	30.0	32.4	37.0	42.0	44.5	47.0	50.9
LB				18.0	22.0	27.5	31.9	36.5	44.0	51.0	52.8	59.0	66.0	71.3	81.4	92.4	97.9	103.4	112.0

### Color options 颜色选项





Rounded body structure with new coating line

# X16



The special braided process makes the water casting 50% more than 8 strands line. and greatly enhances its tensile strength and abrasion resistance.  
特殊的编织工艺使它的切水性高于8编大力马鱼线的50%，并大大提高了拉力和耐磨性。

### Specifications/规格 PEX16

Size	#2.0	#3.0	#4.0	#4.5	#5.0	#6.0	#8.0	#9.0
Dia/mm	0.23	0.28	0.32	0.35	0.37	0.40	0.47	0.50
KG	26.0	27.0	35.0	38.0	43.0	50.0	62.0	64.0
LB	57.2	59.4	77.0	83.6	94.6	110.0	136.4	120.0

### Color options 颜色选项



New coating ice fishing line ICE fishing line

## 新型涂层冰钓线



Enhanced coating is designed to give it maximum strength and abrasion resistance for micro monster and ice fishing, 4 braided and super thin with great knots and breaking strength.  
增强涂层的设计使其具有最大的强度和耐磨性，适用于微型怪物和冰上捕鱼，超细线径且具有良好的结节和断裂强度。

### Specifications/规格 Ice Fishing

Size	#0.2	#0.4	#0.6	#0.8	#1.0
Dia/mm	0.08	0.10	0.12	0.14	0.16
KG	3	4	5	6.1	7.2
LB	6.6	8.8	11	13.4	15.8

### Color options 颜色选项





**BLACK SERIES**  
Insight Look  
Into Justron  
NEW



Unique dyeing technology with German braiding technology and coating, "New PE lines-new technique that color will never fade", offered in green black, available in Red/Green/Black colors.

全新系列 "The Black Series", 采用独特染色以及德国编织技术和涂层技术, 色泽艳丽, 承诺永久不掉色。

**Specifications/规格 PEX8**

Size	#0.2	#0.4	#0.6	#0.8	#1.0	#1.2	#1.5	#2.0	#2.5	#3.0	#3.5	#4.0	#4.5	#5.0	#6.0	#7.0	#8.0	#9.0	#10.0
Dia/mm	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.23	0.26	0.28	0.30	0.32	0.35	0.37	0.40	0.43	0.47	0.50	0.52
KG			5.2	6.3	7.7	9.5	11	12.8	16.5	18.6	21.3	22.7	24	25.4	28.2	33.4	36.3	38	40
LB			11.4	13.9	16.9	20.9	24.2	28.2	36.3	40.9	46.9	49.9	52.8	55.9	62.0	73.5	79.9	83.6	88.0

**Color options 颜色选项**



**BRAIDED LINE · PE 进口编织线**



**THE FINE LINE  
DYNEEMA LINE**



**IMPORTED RAW  
MATERIAL**

High performance braid lines , using Japan origin fibers, provides special coating reduces guide friction, excellent line surface, and decreases line water adsorption. The premium fishing lines series. Best choice for both spinning and casting reels. Ultra smooth, See available colors above.

100%采用进口PE原材料8股编织线, 极好的耐磨性和零延展力等特点让其成为最适合竞赛系列鱼线, 具有类似金属的低伸度, 高灵敏度, 可以捕捉到微小的鱼汛。现有的颜色如上, 量大可定制颜色。

Size	#0.6	#0.8	#1.0	#1.2	#1.5
Dia/mm	0.12mm	0.14mm	0.16mm	0.18mm	0.20mm
KG	6.35	7.26	9.98	9.98	11.34
LB	14	16	22	25	30



A unique , high performance X8 braided lines

# PLUS+ X8



Rounded body structure with new coating line

# PLUS+ X12



The special braided process makes the water casting 50% more than 8 strands line. and greatly enhances its tensile strength and abrasion resistance.  
特殊的编织工艺使它的切水性高于8编大力马鱼线的50%，并大大提高了拉力和耐磨性。

Rounded body structure with new coating line, PLUS+ X12 series. A Superior abrasion resistance and increasing line capacity with the new coating. It is suitable for all fishing situations and especially for lure fishing.  
全新涂层路亚线PLUS+ X12编织线,超顺滑和超高耐磨，拉力强，适用于各个钓鱼场景尤其是路亚场景。

### Specifications/规格 独特的高性能PLUS+X8编织线

Size	#0.6	#0.8	#1.0	#1.2	#1.5	#2.0	#2.5	#3.0	#4.0
Dia/mm	0.12	0.14	0.16	0.18	0.20	0.23	0.26	0.28	0.32
KG	6.2	8	9.5	10	11	12.8	16.5	18.6	22.7
LB	13	17	20	22	24	28	36	40	50



### Color options 颜色选项



### Specifications/规格 全新涂层路亚线PLUS+X12编织线

Size	#0.6	#0.8	#1.0	#1.2	#1.5	#2.0	#2.5	#3.0	#4.0
Dia/mm	0.12	0.14	0.16	0.18	0.20	0.23	0.26	0.28	0.32
KG	6.2	8	9.5	10	11	12.8	16.5	18.6	22.7
LB	13	17	20	22	24	28	36	40	50



### Color options 颜色选项





### 可定制包装系列1 Customized Packaging Series 1



### 可定制包装系列2 Customized Packaging Series 2



### 可定制包装系列3 Customized Packaging Series 3



### 可定制包装系列4 Customized Packaging Series 4



### 可定制包装系列5 Customized Packaging Series 5



02 

**JUSTRON 尼龙线**  
**FISHING TACKLE**  
**NYLON LINE**

仁者乐山，渔者乐水；每一个钓鱼人的心中都藏着一片江湖。  
 也许是丛林深处的小溪大江，亦或是远离喧嚣的一亩方塘；  
 不论严寒酷暑，身在何方，  
 有水的地方就是我们心之所向。



黄色 绿色 嫩绿 蓝色  
玫红 暗红 黑色

### NT100型普通型钓线 Common fishing line

It is kind of classic common monofilament with good transparency and high quality. Bulk package make it low cost, however, you can get a wonderful fishing experience.

是一款经典通用的尼龙钓线，透明度好，品质优秀可靠。简易包装使得价格低廉，性价比极高，用较低的花费享受极高的钓鱼体验。

Dia/mm	0.165	0.181	0.203	0.234	0.261	0.286	0.309	0.328	0.340	0.370	0.405	0.437
	0.467	0.496	0.523	0.548	0.573	0.596	0.619	0.64	0.661	0.701	0.739	
KG	1.7	2.0	2.5	3.2	4.0	4.7	5.4	6.1	6.6	7.5	8.9	10.2
	11.4	12.7	13.9	15.0	16.1	17.5	18.5	19.8	20.8	23.4	25.5	
LB	3.7	4.4	5.5	7.0	8.8	10.3	11.9	13.4	14.5	16.5	19.6	22.4
	25.1	28.0	30.1	33	35.4	38.5	84.7	43.6	45.8	51.5	56.1	

### NT200型经济型钓线 Economic Line

A kind of economic line that suits for all types of fishing. High price performance makes it popular in the market.

一种适合各式钓法经济型钓线，优越的性价比使其在市场上颇受欢迎。抛投顺滑，适合更多的钓法与钓组。



Dia/mm	0.128	0.148	0.165	0.181	0.203	0.234	0.261	0.286	0.309	0.328	0.340	0.370
	0.405	0.437	0.467	0.496	0.523	0.548	0.573	0.596	0.619	0.64	0.661	0.701
KG	1.11	1.48	1.84	2.22	2.75	3.62	4.44	5.27	6.08	6.88	7.39	8.49
	10.04	11.54	13.0	14.46	15.84	17.17	18.48	19.74	20.98	22.1	23.23	25.73
LB	2.4	3.3	4.0	4.9	6.0	8.0	9.8	11.6	13.4	15.1	16.3	18.7
	22.1	25.4	28.6	31.8	34.8	37.8	40.7	43.2	46.2	48.6	51.1	56.6

### Justron Mono比赛线

Justron Mono Competition line, aim for multi purpose saltwater and freshwater tournament competition. High quality and stable nylon lines with Low memory and high breaking & knots strength, Extremely strong and amazing sensitivity, super cast-ability gives extr-aordinary strengthens.

Justron Mono比赛线，旨在进行多用途海水和淡水锦标赛比赛。高品质稳定的尼龙线，具有低记忆和高断裂和打结强度，极强和惊人的灵敏度，超强的铸造能力赋予非凡的强度。

Size	#0.8	#1.0	#1.5	#2.0	#2.5	#3.0	#3.5	#4.0	#5.0	#6.0	#7.0	#8.0
Dia/mm	0.148	0.165	0.203	0.234	0.261	0.286	0.309	0.328	0.37	0.405	0.437	0.467
KG	1.92	2.4	3.57	4.48	5.61	6.59	7.69	8.69	10.75	12.77	14.79	16
LB	4	5	8	10	12	14	17	20	24	28	30	35



## NYLON LINE · 尼龙线



### NT300型高强线 Functional Nylon Line

A kind of functional line. It has the stable quality, especially the impact in a flash and the durable performance. Low stretch, high knot strength. Super abrasive resistance, great softness, It is the best choose for anglers.

一种耐用型的钓线，质量稳定，特别在抵抗瞬间爆发力和耐用性能上非常突出。低延展性，高结强力超耐磨，极柔软，是钓鱼高手的最好选择。



Dia/mm	0.074	0.091	0.105	0.128	0.148	0.165	0.181	0.203	0.234	0.261	0.286	0.309
	0.328	0.340	0.370	0.405	0.437							
KG	0.5	0.74	0.98	1.46	1.92	2.4	2.88	3.57	4.48	5.61	6.59	7.69
	8.69	9.34	10.75	12.77	14.79							
LB	1.1	1.6	2.2	3.2	4.2	5.3	6.3	7.9	9.9	12.3	14.5	16.9
	19.1	20.5	23.7	28.1	32.5							

### 专业竞技线 Power Tournament Mono Nylon Line

1. Lower memory, The translucence, match with the water increase the hit rate.
2. Extra high tension and knot strength.
3. High sensibility. Resistance to abrasion.
4. Sinking line, fast sinking speed.
5. Smooth, resistance to knot.
6. Material from Japan.

日本进口原材料制作，唯美而又新潮包装完全透明的尼龙线，增加隐蔽性，提高咬钩率，极强的直线以及节点拉力，超高敏感度，良好的柔软度，不易打结，比重略大，加速入水速度，适合垂钓，水库钓，海钓以及比赛专用鱼线。



Dia/mm	0.074	0.091	0.105	0.128	0.148	0.165	0.181	0.203	0.234	0.261	0.286	0.309
	0.328	0.340	0.370									
KG	0.60	0.84	1.17	1.64	2.11	2.59	3.16	3.93	4.93	6.00	7.03	8.09
	8.95	9.90	11.56									
LB	1.32	1.85	2.6	3.6	4.6	5.7	7.0	8.7	11.0	13.2	15.5	17.8
	19.7	21.8	25.4									



# NYLON LINE · 巨物线




高结强力超耐磨极柔软

Functional nylon line, it has the stable quality, especially the impact in a flash and the durable performance. Low stretch, high knot strength. Super abrasive resistance, great softness, It is the best choose for anglers.

一种耐用型的钓线，质量稳定，特别在抵抗瞬间爆发力和耐用性能上非常突出。低延展性，高结强力超耐磨，极柔软，是钓鱼高手的最好选择。

Size	#6	#8	#10	#12	#14	#16	#18	#20	#24	#26	#30	#40
Dia/mm	0.40	0.47	0.52	0.57	0.62	0.66	0.70	0.74	0.80	0.85	0.90	1.00
KG	10.8	12.9	15.8	18.6	22	25.4	28	30	35.5	38	44	50
LB	24	28	35	41	48	56	62	66	78	84	97	110

Camouflage & Invisibility 3D nylon lines



New series is nylon camouflage line. Practically invisible in the water. The line is built to be sensitive and super soft, strong with excellent knot strength and high abrasion resistance for tough fishing conditions. Available in above colors.

迷彩尼龙斑点线，在水中隐形，表面顺滑，拥有完美的结节拉力和直线拉力，适合在任何情况下钓鱼。

### Specifications/规格 3D斑点尼龙线

Size	#0.4	#0.6	#0.8	#1.0	#1.2	#1.5	#2.0	#2.5	#3.0	#3.5	#4.0	#4.5	#5.0	#6.0	#7.0	#8.0	#9.0	#10.0
Dia/mm	0.105	0.128	0.148	0.165	0.181	0.203	0.234	0.261	0.286	0.309	0.328	0.340	0.370	0.405	0.437	0.467	0.496	0.523
KG	0.98	1.11	1.48	1.84	2.22	2.75	3.62	4.44	5.27	6.08	6.88	7.39	8.49	10.04	11.54	13.00	14.46	15.84
LB	2.2	2.4	3.3	4.0	4.9	6.0	8.0	9.8	11.6	13.4	15.1	16.3	18.7	22.1	25.4	28.6	31.8	34.8

### Color options 颜色选项





Semi Floating  
High Class  
Nylon lines

# 半浮式 尼龙线



Semi-Floating nylonlines, with enhanced abrasion resistance. The unique color processing technology makes the line with high strength and waterproof performance. Improved surface texture and highly durable waterrepellency.  
半浮式尼龙线,超强的耐磨性,独特的色彩处理技术使线具有高强度和防水性能。改善的表面纹理和高度耐用的防水能力。

### Specifications/规格 半浮式尼龙线

Size	#0.4	#0.6	#0.8	#1.0	#1.2	#1.5	#2.0	#2.5	#3.0	#3.5	#4.0	#4.5	#5.0	#6.0	#7.0	#8.0	#9.0	#10.0
Dia/mm	0.105	0.128	0.148	0.165	0.181	0.203	0.234	0.261	0.286	0.309	0.328	0.340	0.370	0.405	0.437	0.467	0.496	0.523
KG	0.98	1.11	1.48	1.84	2.22	2.75	3.62	4.44	5.27	6.08	6.88	7.39	8.49	10.04	11.54	13.00	14.46	15.84
LB	2.2	2.4	3.3	4.0	4.9	6.0	8.0	9.8	11.6	13.4	15.1	16.3	18.7	22.1	25.4	28.6	31.8	34.8

### Color options 颜色选项



### 可定制包装系列1 Customized Packaging Series 1



### 可定制包装系列2 Customized Packaging Series 2



### 可定制包装系列3 Customized Packaging Series 3



### 可定制包装系列4 Customized Packaging Series 4





# 03



## JUSTRON 包芯线 碳素线 FISHING TACKLE CORE SPUN LINE CARBON LINE

古往今来，无数钓鱼爱好者陶醉于这项活动之中，他们怀着对大自然的热爱，对生活的激情，走向河边、湖畔，享受生机盎然的野外生活情趣，领略赏心悦目的湖光山色。


## CORE-SPUN LINE · 包芯线



## CORE-SPUN FISHING LINE



Nylon Core



Steel Core

The Core-spun fishing line is thin in diameter to fit through the eye of small hooks making it excellent for making assists. Made with an inner Carbon, Nylon or Steel core and outer PE section it is incredibly durable, it makes hook ups and tie very well when making your own assists. Steel Core PE is a super bond and supple braided line with wire. It's strength and sinking speed is 2 times higher than usual braided. Lines Stretch and low winded features help you quick set with hooks. 包芯线系列中有包钢丝编织线，尼龙编织线，碳素线编织线。钢丝编织线是一款非常顺滑的钢芯编织线，其强度和下沉速度都是普通大力马的2倍。零拉伸和低缠绕特点帮助你快速绑钩。



Justron  
Fluoroca-  
rbon line

**碳素线**



Justron  
Fluoroca-  
rbon line

**碳素线**



Super sensitive and abrasion resistant, the soft exterior resin provides tournament-grade knot strength and flexibility, while the hard interior resin vastly improves tensile strength.

碳素线是在尼龙线的基础上加入碳素材质，较尼龙线比重大，具有良好的切水性，耐磨性较强这种线防晒，非常耐老化，比重特别高，吸水率比较低，切水性好，沉水自然而且快，具有抗磨性好的特性，且可长时间使用。

Super sensitive and abrasion resistant, the soft exterior resin provides tournament-grade knot strength and flexibility, while the hard interior resin vastly improves tensile strength.

碳素线是在尼龙线的基础上加入碳素材质，较尼龙线比重大，具有良好的切水性，耐磨性较强这种线防晒，非常耐老化，比重特别高，吸水率比较低，切水性好，沉水自然而且快，具有抗磨性好的特性，且可长时间使用。

**Specifications/规格 Tournament Carbon Lines**

Size	#0.6	#0.8	#1.0	#1.2	#1.5	#1.75	#2.0	#2.5	#3.0	#3.5	#4.0	#5.0	#6.0	#7.0	#8.0	#10.0	#12	#14
	#16	#18	#20	#24	#26	#28	#30	#35	#40	#50								
Dia/mm	0.135	0.156	0.172	0.193	0.211	0.226	0.249	0.265	0.288	0.325	0.341	0.381	0.405	0.441	0.489	0.537	0.586	0.625
	0.664	0.719	0.758	0.799	0.834	0.872	0.915	0.956	0.995	1.070								
KG	1.30	1.70	2.10	2.60	3.10	3.53	4.17	4.87	5.27	6.38	7.04	8.37	9.02	10.71	13.15	15.91	18.86	20.39
	22.43	24.57	25.7	29.16	31.81	34.98	35.99	38.54	44.97	49.86								
LB	2.86	3.74	4.62	5.72	6.82	7.77	9.17	10.71	11.59	14.04	15.49	18.41	19.84	23.56	28.93	35.00	41.49	44.86
	49.35	54.05	56.54	64.15	69.98	76.96	79.18	84.79	98.93	109.69								

**Specifications/规格 100% Carbon Lines**

Size	#0.5	#0.6	#0.8	#1.0	#1.2	#1.5	#1.75	#2.0	#3.0	#3.5	#4.0	#5.0	#6.0	#7.0	#8.0	#10.0	#12	#14
	#16	#18	#20	#24	#26	#28	#30	#35	#40	#50								
Dia/mm	0.118	0.135	0.156	0.172	0.193	0.211	0.226	0.249	0.288	0.325	0.341	0.381	0.405	0.441	0.489	0.537	0.586	0.625
	0.664	0.719	0.758	0.799	0.834	0.872	0.915	0.956	0.995	1.070								
KG	0.99	1.28	1.68	2.06	2.57	3.08	3.53	4.17	5.27	6.38	7.04	8.37	9.02	10.71	13.15	15.91	18.86	20.39
	22.43	24.57	25.7	29.16	31.81	34.98	35.99	38.54	44.97	49.86								
LB	2.2	2.8	3.7	4.5	5.7	6.8	7.8	9.2	11.6	14.0	15.5	18.4	19.8	23.6	28.9	35.0	41.5	44.9
	49.3	54.1	56.5	64.2	70.0	77.0	79.2	84.8	98.9	109.7								